




















Turbo HD Camera - DVR

	Items	2MP	User Price	
1	DS-2CE56D0T-IRMM	2.0 Megapixel Indoor IR Dome Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC, IP66, 1 HD Analog Output ,Plastic	IRR 3,946,800	
3	DS-2CE16D0T-IR	2.0 Megapixel IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal	IRR 4,567,200	
4	DS-2CE56D0T-IR	2.0 Megapixel IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output , Metal/Plastic	IRR 4,356,000	
6	DS-2CE56D0T-IRM	2.0 Megapixel IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 3.6mm/6 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Metal	IRR 4,567,200	
7	DS-2CE16D0T-IT1	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic	IRR 5,596,800	
9	DS-2CE16D0T-IT3	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic	IRR 6,138,000	
10	DS-2CE16D0T-IT5	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic	IRR 6,837,600	
12	DS-2CE16D0T-WL5	2.0 Megapixel White Supplement Light Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01LUX ,Max White Light distance: 50 M Day&Night(Color),Up the Coax(HIKVISION-C) 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic	IRR 8,910,000	
13	DS-2CE56D0T-IT1	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic	IRR 5,095,200	
15	DS-2CE56D0T-IT3	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic	IRR 5,847,600	
17	DS-2CE56D1T-VFIR3	2.0 Megapixel Vari-Focal IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC, IP66 , 1 HD Analog Output,Metal/Plastic	IRR 11,022,000	
	Items	2MP + POC	User Price	
2	DS-2CE16D0T-IRE	2.0 Megapixel IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal-PoC.af	IRR 5,874,000	


5	DS-2CE56D0T-VFIR3E	2.0 Megapixel Vari-Focal IR Dome Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.at, IP66 , 1 HD Analog Output,Metal/Plastic	IRR 11,299,200	
8	DS-2CE16D0T-IT1E	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic,PoC.af	IRR 7,009,200	
11	DS-2CE16D0T-VFIR3E	2.0 Megapixel Vari-Focal IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66 ,PoC.at , 1 HD Analog Output ,Metal/Plastic	IRR 11,299,200	
14	DS-2CE56D0T-IT1E	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic,PoC.af Up the Coax (HIKVISION-C)	IRR 7,009,200	
16	DS-2CE56D0T-IT3E	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic,,PoC.af Up the Coax (HIKVISION-C)	IRR 7,458,000	
Starlight Value Series				
18	DS-2CE16D8T-ITE	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	IRR 9,042,000	
19	DS-2CE56D8T-ITME	2.0 Megapixel Ultra Low-Light PoC EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	IRR 9,042,000	
20	DS-2CE16D8T-IT3ZE	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.7 ~ 13.5 mm motorized vari-focal lens ,0.003 lux ,Max IR distance: 60 M, Auto focus BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	IRR 18,070,800	
21	DS-2CE16D8T-IT3E	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	IRR 10,837,200	
22	DS-2CE56D8T-IT1E	2.0 Megapixel Ultra Low-Light PoC EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 9,490,800	
Exir Turbo HD Series-3Mp				
23	DS-2CE16F1T-IT	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920x1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 5,332,800	
24	DS-2CE56F1T-ITM	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920x1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 5,332,800	

25	DS-2CE16F1T-IT1	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 6,019,200	
26	DS-2CE16F1T-IT3	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 6,534,000	
27	DS-2CE16F1T-IT5	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 7,233,600	
28	DS-2CE56F1T-IT1	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 5,847,600	
29	DS-2CE56F1T-IT3	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 6,190,800	
30	DS-2CE16F7T-IT3Z	3.0 Megapixel Motorized EXIR Bullet Camera, 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8~12 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 22,585,200	
31	DS-2CE56F7T-IT3Z	3.0 Megapixel Motorized EXIR Dome Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8~12 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal	IRR 22,585,200	
Exir Series - 5Mp				
32	DS-2CE16H1T-ITE	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	IRR 9,490,800	
33	DS-2CE16H1T-IT1E	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 10,837,200	
34	DS-2CE16H1T-IT3E	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 11,748,000	
35	DS-2CE56H1T-ITME	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	IRR 9,490,800	
36	DS-2CE16H0T-ITF	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 7,458,000	
37	DS-2CE16H0T-IT1F	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 8,131,200	

38	DS-2CE16H0T-IT3F	5.0 Megapixel EXIR Bullet Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 9,042,000	
39	DS-2CE16H0T-IT5F	5.0 Megapixel EXIR Bullet Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 3.6 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 9,715,200	
40	DS-2CE16H1T-IT5E	5.0 Megapixel EXIR Bullet Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 3.6 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 12,645,600	
41	DS-2CE56H0T-ITMF	5.0 Megapixel EXIR Turret Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	IRR 7,009,200	
42	DS-2CE56H1T-IT1E	5.0 Megapixel EXIR Turret Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 10,837,200	
43	DS-2CE56H0T-IT1F	5.0 Megapixel EXIR Turret Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 7,906,800	
44	DS-2CE56H0T-IT3F	5.0 Megapixel EXIR Turret Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 8,580,000	
45	DS-2CE16H0T-IT3ZF	5.0 Megapixel Motorized EXIR Bullet Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.7~13.5 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 24VAC,12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 15,589,200	
46	DS-2CE56H0T-IT3ZF	5.0 Megapixel Motorized EXIR Turret Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.7~13.5 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal	IRR 15,127,200	
47	DS-2CE56H1T-IT3ZE	5.0 Megapixel Motorized EXIR Turret Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8~12 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 , POC.at ,1 HD Analog Output ,Metal	IRR 18,968,400	
48	DS-2CE16H1T-IT3ZE	5.0 Megapixel Motorized EXIR Bullet Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8~12 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 , POC.at ,1 HD Analog Output ,Metal/Plastic	IRR 18,968,400	
49	DS-2CE56H1T-IT3E	5.0 Megapixel EXIR Turret Camera SMP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,1 HD Analog Output ,Metal	IRR 11,748,000	

50	DS-2CC52H1T-FITS	5.0 Megapixel IR Fisheye Camera 5MP CMOS Image Sensor, Resolution (2560*1944@12.5fps) 1.1 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) Built-in Microphone,1Ch Audio Output 12VDC,1 HD Analog Output ,Plastic	IRR 32,511,600	
Turbo HD-8MP				
51	DS-2CE78U8T-IT3	4K Ultra Low-Light EXIR Turret Camera 8.29 MP CMOS Image Sensor, Resolution (3840*2160@12.5fps) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC , IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 25,740,000	
52	DS-2CE18U8T-IT3	4K Ultra Low-Light EXIR Bullet Camera 8.29 MP CMOS Image Sensor, Resolution (3840*2160@12.5fps) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC , IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 27,099,600	
Turbo HD PTZ Camera				
53	DS-2AE5223TI-A (24VAC)	2MP 23X Turbo IR PTZ CAMERA 1/3" 2MP progressive scan CMOS Up to 1920 × 1080 resolution 25 fps 4~92.0 mmlens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters 3DDNR,BLC,DWDR,EIS,(HIKVISION-C) CVBS OUT,2/1 Alarm I/O 24VAC ,IP66	IRR 76,494,000	
54	DS-2AE7230TI-A (24VAC)	2MP 30X Turbo IR PTZ CAMERA 1/32.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution 25 fps 4~120 mmlens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 120 meters 3DDNR,BLC,DWDR,EIS,(HIKVISION-C) 24VAC ,IP66	IRR 97,904,400	
Turbo HD DVR				
55	DS-7204HQHI-K1	04 CHANNEL H.265 Pro + 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 4MP Resolution recording Up to 6CH IP Camera 6MP Input Max 24 Mbps Bit rate input h.265 Pro +,H.265 PRO, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (1920*1080) , VGA Support 1 SATA (10TB),2 USB 2.0 1/1 Audio I/O , RJ45 (100) Mbps,RS-485,CVBS Onvif Support,VCA,Smart Search,12VDC	IRR 14,691,600	
56	DS-7208HQHI-K1	08 CHANNEL H.265 Pro + 1U DVR Support 8 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 4MP Resolution recording Up to 12CH IP Camera 6MP Input Max 48 Mbps Bit rate input h.265 Pro +,H.265 PRO, H.265, H.264+,H.264 video compression 8CH Synchronous Playback 1 HDMI (1920*1080) , VGA Support 1 SATA (10TB),2 USB 2.0 1/1 Audio I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search,12VDC	IRR 20,803,200	
57	DS-7216HQHI-K1	16 CHANNEL H.265 Pro + 1U DVR Support 16 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 4MP Resolution recording Up to 24CH IP Camera 6MP Input Max 96 Mbps Bit rate input h.265 Pro +,H.265 PRO, H.265, H.264+,H.264 video compression 16CH Synchronous Playback 1 HDMI (4K) , VGA Support 1 SATA (10TB),2 USB 2.0 1/1 Audio I/O , RJ45 (1000) Mbps,RS-485,CVBS Onvif Support,VCA,Smart Search,12VDC	IRR 38,002,800	

58	DS-7204HUHI-K1	<p>04 CHANNEL H.265 Pro + 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 5MP Resolution recording Up to 8CH IP Camera 8MP Input Max 32 Mbps Bit rate input h.265 Pro +,H.265 PRO, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (1920*1080), VGA Support 1 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,4/1 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search,12VDC</p>	IRR 22,149,600	
59	DS-7208HUHI-K1	<p>08 CHANNEL H.265 Pro + 1U DVR Support 8 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 8MP Resolution recording Up to 16CH IP Camera 8MP Input Max 64 Mbps Bit rate input h.265 Pro +,H.265 PRO, H.265, H.264+,H.264 video compression 8 CH Synchronous Playback 1 HDMI (4K), VGA Support 1 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,8/4 Alarm I/O , RJ45 (100) Mbps,RS-485,CVBS Onvif Support,VCA,Smart Search,12VDC</p>	IRR 33,805,200	
60	DS-7216HUHI-K2	<p>16 CHANNEL H.265 Pro + 1U DVR Support 16 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 8MP Resolution recording Up to 32CH IP Camera 8MP Input Max 128 Mbps Bit rate input h.265 Pro +,H.265 PRO, H.265, H.264+,H.264 video compression 16 CH Synchronous Playback 1 HDMI (4K), VGA Support 2 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,16/4 Alarm I/O , RJ45 (1000) Mbps,RS-485,CVBS Onvif Support,VCA,Smart Search,12VDC</p>	IRR 67,372,800	
61	DS-7204HUHI-K1/P	<p>04 CHANNEL H.265 Pro + POC 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 5MP Resolution recording Up to 8CH IP Camera 8MP Input Max 32 Mbps Bit rate input h.265 Pro +,H.265 PRO, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (1920*1080), VGA Support 1 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,4/1 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search, POC ,48VDC</p>	IRR 27,046,800	
62	DS-7208HUHI-K2/P	<p>08 CHANNEL H.265 Pro + POC 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 5MP Resolution recording Up to 8CH IP Camera 8MP Input Max 32 Mbps Bit rate input h.265 Pro +,H.265 PRO, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (4K), VGA Support 2 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,4/1 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search, POC,48VDC</p>	IRR 49,420,800	
63	DS-7204HTHI-K1	<p>04 CHANNEL H.265 + 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 8MP Resolution recording Up to 2CH IP Camera 8MP Input Max 32 Mbps Bit rate input H.265 +, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (4K), VGA Support 1SATA (8TB),2 USB 2.0 4/1 Audio I/O ,4/1 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search,12VDC</p>	IRR 33,567,600	

64	DS-7208HTHI-K2	<p>08 CHANNEL H.265 + 1U DVR Support 8 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 8MP Resolution recording Up to 4CH IP Camera 8MP Input Max 64 Mbps Bit rate input H.265 +, H.265, H.264+,H.264 video compression 8 CH Synchronous Playback 1 HDMI (4K), VGA Support 2SATA (8TB),2 USB 2.0 4/1 Audio I/O ,8/4 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search,12VDC</p>	IRR 65,274,000	
----	----------------	---	----------------	---